



Unauffällig elegantes und kräftiges System für die Festinstallation und Industriepräsentation. Die optimierte 2 x 6,5"/ 1" Treiber Konfiguration mit großem Horn sorgt für gutes Abstrahlverhalten, Sprachverständlichkeit und Reichweite. Vier M10 Aufnahmepunkte (optional fünf bei Austausch gegen die werkseitig montierte HS-Flanschbuchse) ermöglichen in Kombination mit dem Zubehör eine einfache Installation in Horizontal- und Vertikalausrichtung.

PRODUCT SPECIFICATIONS

Speaker Components	2 x 6,5" Nd (2" VC) / 1" (1,7" VC)
Description	HiMid Sound System
Power AES / Peak	400 W / 1200 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	97 dB / 128 dB
Usable Range	80 Hz - 19 kHz
Tuning Frequency excursion minimum	95 Hz
X - Overpoint acoustical	1,5 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Connectors	2 x Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	4 x M10, 2 x M6 35 mm pole mount
Weight	9,5 kg
Size height x width x depth	51,0 x 21,0 x 21,0 cm
Order No.	**00230/III**









Copyright 04-2026

DIMENSIONS




Sensitivity 1 W @ 1 m + Impedance




COVERAGE PATTERNS

2D Directivity Plot - horizontal



2D Directivity Plot - vertical



SEEBURG
acoustic line


Flying Bracket



for A 2, horizontal alignment,
(incl. 2 x socket head screws M10 x 20 mm, 2 x rubber washers, 1 x plate)

Order No. **01214/H/set/w** (RAL 9010)
Order No. **01214/H/set**

Flying Bracket



for A 2,
(incl. black version: 2 x knurled screws M10 x 20 mm, 2 x rubber washers, white version: 2 x socket head screws M10 x 20 mm, 2 x rubber washers)

Order No. **01214/set/w** (RAL 9010)
Order No. **01214/set**

Knurled Screw



M10 x 20 mm

Order No. **73750/w** (RAL 9010)
Order No. **73750**

Knurled Head Nut



reduction screw for fastening M10 Pole Mount Adapter (08126)

Order No. **73755**


Rubber Washer



for flying brackets,
5 mm x 40 mm Ø

Order No. **01206**

Plate



for A 2 / A 3 flying brackets, horizontal alignment, replacement for pole mount flange, 110 mm Ø flange with M10 nut

Order No. **08119/M10/w** (RAL 9010)
Order No. **08119/M10**

Pole Mount Adapter



35 mm ø –> M10 x 16 mm, M8 x 20 star knob screw

Order No. **08126**

35 mm ø –> M10 x 16 mm

Order No. **08126/II**

Flange



with ball and socket joint, with additional locking screw, M10 x 15 mm, max. load 15 kg

Order No. **08125**

Quick Trigger Clamp



max. load 100 kg

Order No. **01223/100 kg**

Quick Trigger Clamp - small



M10, max. load 20 kg

Order No. **01223/20 kg**

Truss Clamp



incl. M10 mini TV spigot, max. load 15 kg

Order No. **01221**

Steel Safety



4 mm x 600 mm, black, max. load 10 kg (BGI 810-3), quick connector undetachably

Order No. **01376/4**

Ring Screw



M10– DIN 580

Order No. **73700** (zinced)
Order No. **73700/sw** (black zinced)

TV Spigot



M10 internal thread, 28 mm Ø

Order No. **08128**



Spacer > Wall Mount



SEEBURG
acoustic line

ACCESSORIES A 2

MultiRigg™



for flown and ground stacked applications, (incl. 2 x knurled screws M10 x 20 mm, 1 x handle screw M8 x 55 mm), max. load 50 kg

Order No. **01360**

MultiRigg™ Light



for fixed installations, (incl. 2 x socket head screws M10 x 20 mm), max. load 50 kg

Order No. **01362**

MultiRigg™ Basic



(incl. load adapter M10, 2 x knurled screws M10 x 20 mm), max. load: 50 kg

Order No. **01364**

Adapter



for MultiRigg™ / Light/ Basic for mounting on M10, (incl. 1 x screw M10 x 25 mm), max. load 20 kg

Order No. **01358**

Wall Mount



bar: 269 mm, max. load 40 kg, (incl. socket head screw M10 x 70 mm, hex lock nut M10 and flat washer)

Order No. **08130/F/269/w** (RAL 9010)
Order No. **08130/F/269**

Wall Mount



for permanent installation, incl. tilt angle stop, M10, max. load 15 kg

Order No. **08131/F/w** (RAL 9010)
Order No. **08131/F**

Wall Mount



2 x M6 fixing holes (d=73 mm), 1 x M10 fixing hole (center), max. load 25 kg

Order No. **03034/w** (RAL 9010)
Order No. **03034**

Wall Mount



for L 8 / L 16 / A 2 / A 3 using fixing points d= 73 mm

Order No. **08132/w** (RAL 9010)
Order No. **08132**

Wall Mount



ball and socket joint flange (08125) + 08125/plate

Order No. **08125/set**

Wall Mount Spacer



for Wall Mount (03034), socket head screw M10 x 55 mm, 65 (height) x 100 (width) x 40 mm (depth)

Order No. **03034/spc**
Order No. **03034/spc/w** (RAL 9010)

Cover



for A 2, padded

Order No. **01243**

Rain Cover



for A 2, with zipper

Order No. **01243/outdoor**

Flight Case Trunk



for 2 pcs. A 2, with accessory compartment (21 x 22 cm), interior lined with felt, standard, 7 mm birch multiplex, PVC coated black, 2 x recessed sprung handles, 2 x butterfly latches medium
Size: 71 x 26 x 55,5 cm (W x D x H)

Order No. **16067**

SEEBURG acoustic line
Produktions- und Vertriebs GmbH
Fon: +49 (0)7307 97 00-0
Fax: +49 (0)7307 97 00-29
Auweg 32
D-89250 Senden-Freudenegg
info@seeburg.net
www.seeburg.com

SEEBURG acoustic line