


Multifunktionales 10" Nd/1" System mit ausgewogenen Klangeigenschaften im kompakten Format. Geringes Gewicht durch Neodym-Bestückung. Gute Basswiedergabe auch ohne Controller. Diverse M8 und M10 Aufnahmepunkte sorgen für die einfache Montage des Zubehörs. Auch als Festinstallationsvariante (AF 4) lieferbar.

PRODUCT SPECIFICATIONS

Speaker Components	10" Nd / 1"
Description	Multi Purpose Sound System
Power AES / Peak	300 W / 900 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	95 dB / 123 dB
Usable Range	60 Hz - 20 kHz (-6 dB)
Tuning Frequency Excursion minimum	65 Hz
X - Overpoint acoustical	1,6 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Connectors	2 x Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	2 x M10 / 7 x M8 4 x M10 / 7 x M8 (installation version) 35 mm pole mount
Weight	13 kg
Size height x width x depth	51,5 x 32,4 x 30,6 cm
Order No.	**00250/II** **00250/AF/II** (installation version)



Der hochbelastbare 1" Treiber, in Kombination mit dem drehbaren Horn, sorgt für eine hohe klangliche Präzision.




Ergonomischer Griff auf der Oberseite.




Copyrigh 04-2026

DIMENSIONS

Installation Version AF 4






Controller Setups:


https://www.seeburg.com/de/downloads

Sensitivity 1 W @ 1 m + Impedance




MEASUREMENTS

2D Directivity Plot - horizontal



2D Directivity Plot - vertical



SEEBURG acoustic line


Flying Bracket



for A 4 / TSM 10 horizontal alignment, incl. adapter bars

Order No. **01220/H/set/w** (RAL 9010)
Order No. **01220/H/set**

Flying Bracket



for A 4 / TSM 10,
(incl. black version: 2 x handle screws M10 x 20 mm, 2 x rubber washers, white version: 2 x socket head screws M10 x 20 mm, 2 x rubber washers)

Order No. **01220/set/w** (RAL 9010)
Order No. **01220/set**

Flying Bracket



for AF 4 horizontal alignment, (incl. 2 x socket head screws M10 x 20 mm)

Order No. **01220/H/AF4/w** (RAL 9010)
Order No. **01220/H/AF4**

Handle Screw



for flying brackets, adjustable

Order No. **08375/20** (M10 x 20)

Rubber Washer



for flying brackets,
5 mm x 40 mm Ø

Order No. **01206**

Knurled Head Nut



reduction screw for fastening M10 Pole Mount Adapter (08126)

Order No. **73755**

Pole Mount Adapter



35 mm ø –> M10 x 16 mm,
M8 x 20 star knob screw

Order No. **08126**

35 mm ø –> M10 x 16 mm

Order No. **08126/II**

Flange



with ball and socket joint,
with additional locking screw,
M10 x 15, max. load 15 kg

Order No. **08125**

MultiRigg™



for flown and ground stacked applications, (incl. 2 x knurled screws M10 x 20 mm, 1 x handle screw M8 x 55 mm), max. load 50 kg

Order No. **01360**

Adapter



for MultiRigg™ / Light / Basic for mounting on M10, (incl. 1 x screw M10 x 25 mm), max. load 20 kg

Order No. **01358**

TV Spigot



M10 internal thread,
28 mm Ø

Order No. **08128**

Quick Trigger Clamp



max. load 100 kg

Order No. **01223/100 kg**

Quick Trigger Clamp - small



M10, max. load 20 kg

Order No. **01223/20 kg**

Truss Clamp



incl. M10 mini TV spigot,
max. load 15 kg

Order No. **01221**

Steel Safety



6 mm x 600 mm, black,
max. load 22 kg (BGI 810-3),
quick connector undetachably

Order No. **01376/6**



Adapter > MultiRigg™ > M10

ACCESSORIES A 4

Wall Mount



bar: 269 mm, max. load 40 kg,
(incl. socket head screw M10 x 70 mm,
M10 hex lock nut and flat washer)

Order No. **08130/F/269/w** (RAL 9010)
Order No. **08130/F/269**

Wall Mount



with tilt unit, max. load 40 kg

Order No. **08130**

Cover



for A 4 / TSM 10,
padded

Order No. **01242**


Rain Cover



for A 4 / TSM 10

Order No. **01242/outdoor**


Honeycomb Grilles



for A 4 front replacement.

Foam behind grille

Order No. **97008/hex/compl**
Order No. **97008/hex/compl/w**
(RAL 9010)



Foam in front of grille

Order No. **97008/compl**
Order No. **97008/compl/w**
(RAL 9010)

SEEBURG acoustic line
Produktions- und Vertriebs GmbH
Fon: +49 (0)7307 97 00-0
Fax: +49 (0)7307 97 00-29
Auweg 32
D-89250 Senden-Freudenegg
info@seeburg.net
www.seeburg.com

SEEBURG
acoustic line