

Multifunktionales 12"/1" System mit besonders ausgewogener Klangwiedergabe. Gute Eignung als hochwertiger Fullrange / HiMid Lautsprecher und als universeller Monitor. Das drehbare 1" DCP (= Dual Pattern Circular Horn) sorgt für eine konstante 90° x 60° Abstrahlung über einen breiten Frequenzbereich. Diverse M8 und M10 Aufnahmepunkte sorgen für die einfache Montage des Zubehörs. Auch als Festinstallationsvariante lieferbar.

PRODUCT SPECIFICATIONS

Speaker Components	12" Nd / 1"
Description	Multi Purpose Sound System
Power AES / Peak	500 W / 1500 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	99 dB / 131 dB
Usable Range	60 Hz - 20 kHz (-6 dB)
Tuning Frequency excursion minimum	60 Hz
X - Overpoint acoustical	1,3 kHz
Coverage horizontal / vertical	90° x 60°- rotatable
Connectors	2 x Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	2 x M10 / 7 x M8 35 mm pole mount
Weight	17 kg
Size height x width x depth	60,6 x 36,0 x 34,0 cm
Order No.	**00260/II** **00260/AF/II** (installation version)





Neodym 12" Lautsprecher mit wasserabweisender Membranbeschichtung.





Copyright 04-2026

SEEBURG
acoustic line

DIMENSIONS

Installation Version AF 6






Controller Setups:


https://www.seeburg.com/de/downloads

Sensitivity 1 W @ 1 m + Impedance




COVERAGE PATTERNS

2D Directivity Plot - horizontal



2D Directivity Plot - vertical



SEEBURG
acoustic line

Flying Bracket



for A 6 / A 6 dp / TSM 12
(incl. black version: 2 x handle screws M10 x 20 mm, white version: 2 x socket head screws M10 x 20 mm)

Order No. **01216/set/w** (RAL 9010)
Order No. **01216/set**

Flying Bracket



for A 6 / A 6 dp / TSM 12
horizontal alignment,
incl. adapter bars

Order No. **01216/H/set/w** (RAL 9010)
Order No. **01216/H/set**

Flying Bracket



for AF 6 horizontal alignment,
(incl. 2 x socket head screws M10 x 20 mm, 2 x rubber washers)

Order No. **01216/H/AF/w** (RAL 9010)
Order No. **01216/H/AF**

Handle Screw



for flying brackets, adjustable

Order No. **08375/20** (M10 x 20 mm)

Rubber Washer



for flying brackets,
5 mm x 40 mm Ø

Order No. **01206**

Knurled Head Nut



reduction screw for fastening
M10 Pole Mount Adapter (08126)

Order No. **73755**

Pole Mount Adapter



35 mm ø –> M10 x 16 mm,
M8 x 20 mm star knob screw

Order No. **08126**

35 mm ø –> M10 x 16 mm

Order No. **08126/II**

TV Spigot



M10 internal thread,
28 mm ø

Order No. **08128**

Quick Trigger Clamp



max. load 100 kg

Order No. **01223/100 kg**

Quick Trigger Clamp - small



M10, max. load 20 kg

Order No. **01223/20 kg**

Ring Screw



M10– DIN 580

Order No. **73700** (zinced)
Order No. **73700/sw** (black zinced)

Chain Fastener



VBS 7 mm

Order No. **01378**

Steel Safety



6 mm x 600 mm, black,
quick connector undetachably,
max. load 22 kg (BGI 810-3)

Order No. **01376/6**

ACCESSORIES A 6

Wall Mount



bar: 269 mm,
(incl. socket head screw M10 x 70 mm, M10 hex lock nut and flat washer),
max. load 40 kg

Order No. **08130/F/269/w** (RAL 9010)
Order No. **08130/F/269**

Wall Mount



with tilt unit, max. load 40 kg

Order No. **08130**

Speaker Stand




incl. wind up,
height 138,5 to 218 cm,
max. load 50 kg

Order No. **03011**

height 137,5 to 218,5 cm,
max. load 50 kg


Order No. **03010**

Honeycomb Grilles



for A 6 front replacement.

Foam behind grille
Order No. **97010/hex/compl**
Order No. **97010/hex/compl/w**
(RAL 9010)



Foam in front of grille
Order No. **97010/compl.**
Order No. **97010/compl/w**
(RAL 9010)

Cover



for A 6 / A 6 dp / TSM 12,
padded

Order No. **01244**

Rain Cover



for A 6 / A 6 dp / TSM 12

Order No. **01244/outdoor**

Flight Case Trunk



for 2 pcs. A 6, with accessory compartment, interior lined with felt, heavy duty, 9 mm birch multiplex, PVC coated black, 6 x recessed sprung handles, 2 x butterfly latches medium, 4 x 100 mm blue wheels (2 pcs. with brake)

Order No. **16010**





SEEBURG acoustic line
Produktions- und Vertriebs GmbH
Fon: +49 (0)7307 97 00-0
Fax: +49 (0)7307 97 00-29
Auweg 32
D-89250 Senden-Freudenegg
info@seeburg.net
www.seeburg.com

SEEBURG acoustic line