Galeo C Sub

GALEO C Sub



Basserweiterung für das Galeo C Line Array. Integrierte Flugmechanik für geflogene Arrayanwendungen und Groundstackbetrieb. Das klassische Bassreflexkonzept des Galeo C Sub bewirkt in Kombination mit den besonders strömungsgünstig ausgeführten Bassreflextunneln und dem Hochleistungs - 18" Neodym - Treiber eine besonders impulstreue und tiefreichende Basswiedergabe.

PRODUCT SPECIFICATIONS

Speaker Components	18" Nd (4,5" VC)
Description	Passive Bass Extension
Power AES / Peak	1500 W / 4500 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	101 dB / 138 dB
Usable Range	30 Hz - 200 Hz (-6 dB)
Tuning Frequency excursion minimum	36 Hz
Connectors	3 x Speakon NL4 in/out Coding (2x): 1+/- loop thru, 2+/- Sub Coding (1x): 1+/- Sub, 2+/- loop thru
Handles	6 x
Rigging / Fittings	M20 on top Wheelboard fittings Integrated flying hardware
Weight	49 kg (+ 8 kg wheelboard)
Size height x width x depth	58,0 x 58,0 x 78,0 cm
Order No.	**00415**








Copyright 07-2025

SEEBURG acoustic line

DIMENSIONS




APPLICATIONS




Galeo C + Galeo C Sub

MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



SEEBURG
acoustic line

Flying Frame



for Galeo C / Galeo C Sub,
(incl. 3 x ball lock pins 8 x 25 mm, load adapter and 100 mm distance bar), also for ground stack.

Order No. **01326**

MultiTilt™ Heavy Duty



for Galeo C / C-Series / K 24,
to be used with FD34 / FD33 truss,
minimum truss length: 0,21 m
consisting of base plate with M20 and tilt adjuster (incl. socket head screw M20 x 30 mm), weight: 13,5 kg, max. load 150 kg

Order No. **01359** (without traverse)

Ball Lock Pins



ø 8 x 25 mm

Order No. **01380/8x25**

Load Adapter



for Galeo C / Galeo C Sub
flying frame

Order No. **01327**

Load Adapter M10



M10

Order No. **01328**

Speaker Pole



250 mm, ø 35 mm, M20
with ring lock

Order No. **03020**

Speaker Pole



M20, with crank

Order No. **03023**

SEEBURG
acoustic line

ACCESSORIES Galeo C Sub

Cover



for Galeo C Sub / G Sub 1801,
by using wheelboard, padded

Order No. **01234/C**

Cover



for 2 x Galeo C Sub / 2 x G Sub 1801,
to be used with dolly/top board,
padded, with zipper on front and
velcro strip to secure the open lid.

Order No. **01234/C/Dolly**

Cover



for 4 x Galeo C Sub / 4 x G Sub 1801
or 2 x G Sub 1802, to be used with
dolly/top board, padded, with zipper
on front and velcro strip to secure
the open lid.

Order No. 01256/Dolly

Wheelboard



for Galeo C Sub / G Sub 1801,
also usable as dolly,
stackable, 8,0 kg

Order No. **01268**

Dolly



for Galeo C Sub / G Sub 1801,
up to 3 units,
4 x 100 mm wheels with brake,
incl. top board (stackable),
Size (W x D): 80 x 60 cm

Order No. **01268/Dolly**

Dolly



for up to 6 x Galeo C Sub /
6 x G Sub 1801/ 3 x G Sub 1802,
4 x 100 mm wheels with brake,
incl. top board, (stackable),
Size (W x D): 118 x 60 cm

Order No. **01273/Dolly**





SEEBURG acoustic line
Produktions- und Vertriebs GmbH
Fon: +49 (0)7307 97 00-0
Fax: +49 (0)7307 97 00-29
Auweg 32
D-89250 Senden-Freudenegg
info@seeburg.net
www.seeburg.com

SEEBURG acoustic line